MATERIAL SAFETY DATA SHEET

BZK ANTISEPTIC TOWELETTE

Section I -- Product Identification

Product/Trade Name:

BZK Antiseptic Towelette D 35100

Hazard Rating (NFPA):

Health: 0 Flammability: 0 Reactivity: 0

Specific: None

Emergency or Information Phone No.:

914-365-1700 (M-F Daytime) At other times, contact the local Poison Control Center

Chemical Name:

Section II -- Hazardous Ingredients Per 29 CFR 1910.1200

HAZARDOUS INGREDIENTS

CAS NUMBER

ACGIH-TLV

None

No components over 1% of formulation

Section III -- Physical/Chemical Characteristics

Color/Odor/Appearance:

Applicator saturated with clear liquid

Boiling Point:

Flash Point:

N/A N/A

Vapor Density:

N/A

Evaporation Rate:

N/A Complete

Solubility in Water: Specific Gravity (H₂0=1):

Section IV -- Fire and Explosion Hazard Data

Flash Point (Method Used):

N/A LEL: N/A UEL: N/A

Extinguishing Media:

Any None

Special Firefighting Procedures:

Unusual Fire and Explosion Hazards:

None

Section V -- Reactivity Data

Stability:

Stable

Conditions to avoid:

None known

Incompatibility: Hazardous Decomposition of Byproducts: Anionic surfactants/soaps

May cause discomfort

Polymerization:

Will not occur

Section VI -- Health Hazard Data

Effects of Overexposure:

Skin: Eyes: None

Inhalation:

None

Ingestion:

None

Emergency and First Aid Procedures:

Skin Contact:

Discontinue use if rash or irritation occurs. Flush with cold water if splashed in eyes.

Eye Contact:

None

Inhalation:

Ingestion: Target Organs: None None

Section VII -- Spill and Disposal Procedure

Spill Control:

Rinse into sewer system.

Waste Disposal Method:

Follow local, state and federal regulations.

Handling and Storage:

None

Section VIII -- Control Measures/Protection

Respiration:

None

Ventilation:

None

Protective Gloves:

None

Eye Protection:

If splash potential exists

Hygienic Practices:

Good housekeeping practices should be followed.

Other:

NO

Section IX -- Transport/Shipping

DOT Shipping Name:

Technical Shipping Name:

DOT Shipping Classification:

DOT not regulated

DOT ID Number:

DOT Label Requirements:

UN/NA Number Regulations:

Reportable Quantity:

Disclaimer:

The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and Dynarex Corporation assumes no legal responsibility or liability resulting from its use.



Executive Headquarters: 10 Glenshaw Street, Orangeburg, NY 10962 Phone: (845) 365-8200 • Toll Free: (888) 335-7500 • (888) DYNAREX Fax: (845) 365-8201 • Email: sales@dynarex.com • www.dynarex.com

2、COMPOSITON/INFORMATION ON INGREDIENTS

Single or mixture component: Mixture compinent (Component that is packaged in ; plastic core and corn, which is additionally packaged in an outer box)

- 1 /	J 1 0
Ingredients	CAS No.
Pvc or PU	9006-86-2
crylic acid glue	9009-54-5
crylic acid glue	9003-54-7
glassine paper	63148-58-3
cold seal paper	3051-11-4

3、HAZARDS IDENDIFICATION

Emergency Overview: This product with no health hazards reported from normal use. The most important hazard is that prolonged cpntact with the skin at the same site may cause a cryogenic burn.

Route of entry:Inhalation,skin contact,eye contact,ingestion.

Eye:Dust may cause irritation or corneal injury due to mechanical action. Fumes released during hot opration may cause eye irritation. Exposure to gas of outer bags causes eye to be inflamed with trear production and itch.

Skin:May cause skin irritation for certain perple.

Ingestion: May be harmful if swallowed.

Inhalation:Fumes generated under heat may cause irritation to upper respiratory tract and lungs.

At 165°C or higher ,outer box produces gas which may irritation eyes,nose,and throat.

Note:Read the entireMSDS for a more thorough evaluation if the hazards.

4. FIRST AID MEASURES

Mixture components in a bag:

Eye contact: Never rub eyes. Flush eyes with plenty of clean water. Seek medical

attention if you fell unwell.

Skin contact :wash skin with plenty of soap and water or warm water.

Ingestion:Rinse the mouse and spit it out. Seek medical attention if you fell unwell.

Outer box:

Eye contact: There is a risk of eyeball to scratched. Flush eyes with plenty of clean water. Get medical attention if you fell unwell.

Skin contact:If irritated, wash skin with plenty of soap and water or warm water.Ifmolten material gets on skin, flush a plenty of water and cool the aggected area down. Never peel it off. Get medical attention.

Inhalation:No evaporation occurs under normal conditions. When experienced over exposure to gas which is produced from hot molten resin, remove to fresh air. At 165°C or higher, outer bag products gas which may irritate eyes, nose, and throat.

Ingestion:Spit it out immediately.If ingested, seek medical attention.

5. FIRE FIGHTING MEASURES

Extinguishing Media:

Use dry chemical, water fog, form and carbon dioxide.

Fire Fignting Procedures:

In the event of a fire, wear full protective clothing and NIOSH-approved elf-contained breathing apparatus with full-face fiece operated in the pressure demand

or other positive pressure mode. Fight fire from the maximum distance. Evacuate area. Extinguish a fire from windward. Prevent inhalation if gas produced. Specific Hazards:

When involved in a fire, this material may decompose and produce irritating fumes and gas.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:

Wear appropriate personal protective equipment as specified in Section. Svoid direct contact with skin.

Environmental Precautions:

This material may be non-hazardous in ordinary use and may be discarded in accordance with applicable governmental regulations and take order with the demands of the environmental protection section.

Methods of Clean up:

Sweep and scoop all spilled material. Place them into a water-filled container. Dispose in accordance with applicable state and federal regulations/

7. HANDLEING AND STORAGE

Handling Precautions"

Do not use this product and place near flame and under high temperature. Never put the mixture powder out inner bag.

Storage Precautions:

Keep product in a cool place away from exposure to sunlight.Do not store product any place where becomes high temperature.Do not damage to outer Bag.

8. EXPSURE CONTROLS/PERSONAL PROTECTION

Enginnering measure

Use exhaust ventilation to keep airborne concentration below exposure limit.

Personal protection quipment:

Respiration protection:If TLV or product or any component is exceeded,a NIOSH approved air supply respirator is advised in absence of proper environmental control.

Eye protection:Not required under normal use.

Hand protection: Not required under normal use.

Skin and Body Protection: Not required under normal use.

Recommended decontamination facilities: Eye bath, safety shower, washing Facilities.

9, PHYSICAL AND CHEMICAL PROPERIES

Mixture component:

Physical state

Form:Solid powder

Color:White Odor:Odorless

Flash point:No ignition at 140°C

Auto-ignition:Not applicable to Auto-ignition substance stated in UN recommendations.

Self-heating:Not applicable to Auto-ignition substance stated in UN recommendations.

Water solubility:Insoluble,except for sodium choride

Outer box:

Appearance:colored sheet

Melting point:Polythylene:115 °C or higher Polypropylene:125 °C or

higner

Specific reavity:Polyethylene:0.91 to 0.94 Polypropylene:0.89

Water solubility:Insoluble

10. STABILITY AND REACTIVITY

Mixture components

Stability: Stable under ambient conditions

Reactivity: Capable of spontaneous heating, materials reacting with oxygen

Concentration.

Hazardous decomposition products:None

Outer box:

Inflammation point:340 to 400 °C

Flash point:400 to 500 °C

Water reactivity:None

Oxidization:None

Self-reactivity/Explosive:None

Stability/Reactivity:Stable and non-reactive under ambient storage and

handling conditions.

11. TOXICOLOGICAL INFORMATION

Mixture component:

Acute toxicity: None known about oral/dermal toxicity

Outer box:

Irritation: Vapor and gas produced during heat melting cause irritation

to eye and respitator Sensitization:None

12, ECOLOGICAL INFORMATION

Environmental Toxicity:

On the basis of available information, this product is not expected to produce any significant adverse environmental effects when recommended use instructions are followed.

Mixture components:

Mobility:None know

Persisitence/degradability:None know Bioaccumulative potential:None know

Outer box:

Degradability: Non-degradable for long time

13. DISPOSAL CONSIDERATIONS

Waste disposal Methods:

Used or unused product should be disposed of in accordance with Federal, State or Local Laws and Regulations.

Empty Container Warnings:

Empty containers may contain product residue, follow SDS and label warnings even after they have been emptied.

14. TRANSPORT INFORMATION

US Department of Transportation Classification:

The product is not a DOT controlled material (United States).

International Air Transportation Association Classification:

This product is not classified as a hazardous material for transport uder IATA regulations.

International Maritime Organization-IMDG:

This product is not classified as a hazardous material for transport uder MIDG regulations.

UN,IMO,ADR/RID,ICAD Code:

This product is not classified as a hazardous material for conveyance under these codes.

Specific precautionary transport measures: Avoid wetting and violent handling.

Ensure to avoid falling, drop, and damage and prevent load collapse during Transport.

15. REGULATORY INFORMATION

EC Lable:N/A Contains:N/A

Other regulation:N/A

For details regulations you should contact the appropriate agency in your Country.

16, OTHER INFORMATION

This date is offered in good faith as typical values and not as a product specification. The information in this date sheet was complied from information supplied by the vendors of the components of this compound. No warranty, either expressed or implied is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.

NOTE

This Material Safety Date Sheet (MSDS) is for guidance and is based upon information and tests believed to be reliable. RJS Standard Testing & Certification Center makes no guarantee of the accuracy or completeness of the date and shall not be liable for any damages relating there to. The date is offered solely for your consideration, investigation, and veridication. RJS Standard Testing & Certification Certer assumes no legal no legal responsibility for use or reliance upon this date.

MSDS Material Safety Data Sheet Blistex Inc.



Blistex Lip Ointment

MSDS Number: 064-9951 Revision Date: 01/27/05

1

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Blistex Inc. 1800 Swift Drive

Oak Brook, IL 60523

Contact: Director of Quality Systems **Telephone Number:** (630) 571-2870

FAX Number: E-Mail: Web

Product Name: Blistex Lip Ointment

Revision Date: 01/27/05 **MSDS Number:** 064-9951

2

COMPOSITION/INFORMATION ON INGREDIENTS

3 HAZARDS IDENTIFICATION


Route of Entry: Inhalation, Skin, Ingestion, Mucous

Target Organs: N/A

Inhalation: Inhalation of vapors not expected to cause any significant adverse effects.

Skin Contact: None Expected **Eye Contact:** May cause Irritation.

Ingestion: Ingestion of small quantities is not expected to cause any significant adverse effects.



MSDS Material Safety Data Sheet Blistex Inc.



Page

Blistex Lip Ointment

MSDS Number: 064-9951 Revision Date: 01/27/05

4 FIRST AID MEASURES

Inhalation: Move person to fresh air.

Skin Contact: Wash with luke warm water and mild soap.

If irritation or rash develops, stop use. If condition does not improve in several days, seek medical

assistance.

Eye Contact: Flush with luke warm water for 15 minutes.

Ingestion: Drink large amounts of water or milk

5 FIRE FIGHTING MEASURES

Flash Point: 545 F
Flash Point Method: Open Cup
Burning Rate: Unknown
Autoignition Temperature: Unknown
Unknown
UEL: Unknown

CO2, Dry Chemical, Foam

6

ACCIDENTAL RELEASE MEASURES

Sweep and collect with inert absorbent material. Place in drums for disposal. Dispose of according to local, state and federal regulations.

7 HANDLING AND STORAGE

Handling Precautions: Keep in closed containers when in bulk form.

Storage Requirements: Store at room temperature. Avoid intense heat or freezing. Keep away from direct sunlight.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls:

Protective Equipment: Use NIOSH approved gloves and goggles when handling in raw, bulk form.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White/Yellow Cast

Physical State:CreamyBoiling Point:N/AOdor:Minty, Slight AmmoniaFreezing/Melting Pt.:N/A

pH: 7.5 - 8.5 Solubility: Insoluble in water Vapor Pressure: N/A Spec Grav./Density: 0.89 - 0.93

Vapor Density: N/A

MSDS Material Safety Data Sheet Blistex Inc.



Blistex Lip Ointment

MSDS Number: 064-9951 Revision Date: 01/27/05

10 STABILITY AND REACTIVITY

Stability: Stable at room temperature

Conditions to avoid: Direct sunlight - Intense heat - Freezing

Materials to avoid (incompatability): Oxidizing agents

Hazardous Decomposition products: None Hazardous Polymerization: None

11 TOXICOLOGICAL INFORMATION

Unknown

12 ECOLOGICAL INFORMATION

Unknown

13 DISPOSAL CONSIDERATIONS

Follow local, state and federal regulations.

14 TRANSPORT INFORMATION

15 REGULATORY INFORMATION

Active ingredients approved by FDA as safe and effective.

16 OTHER INFORMATION

END OF MSDS DOCUMENT



HEALTH 1 REACTIVITY

FLAMMABILITY 1 PERSONAL PROTECTION

A

SECTION I – Product and Company Identification

Identity (As Used on Label and List) EPA Reg. No. N/A
Sun X SPF 30 Sunscreen Broad Spectrum Bulk

Distributed By: CoreTex Products, Inc. Emergency Telephone Number:
877-684-5774

Address (Number, Street, City, State, and ZIP Code)
1850 Sunnyside Ct., Bakersfield, CA. 93308

Telephone Number for Information:
877-684-5774

Formula No.: Cor05

Generated: 08/02/12, Revision: A1, Supersedes Revision Original, Date Created 02/27/12

SECTION II - Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity, Common Name(s)	CAS No.	OSHA PEL	ACGIH- TLV	Other Limits Recommended	% (Opt.)
N/A	N/A	N/A	N/A	N/A	N/A

TSCA: All ingredients are on the TSCA inventory or are not required to be listed on the TSCA inventory.

Any substance listed as hazardous by the States of California, Florida, Illinois, Michigan, New Jersey, Ohio, Pennsylvania or Texas is described above if known present in regulated concentrations.

SECTION III - Physical/Chemical Characteristics

Boiling Point	N/A	Specific Gravity ($H_2O = 1$) @ 25°C	0.984-1.056
Vapor Pressure (mm-Hg @ 70° F)	N/A	Melting Point	N/A
Vapor Density (AIR = 1)	N/A	Evaporation Rate (Butyl Acetate = 1)	N/A
Solubility in Water	In-Soluble	рН @ 25°С	6.50 - 7.50

Appearance and Odor -

Glossy Lotion, Off-White to Light Yellow. Characteristic odor.

SECTION IV - Fire and Explosion Hazard

Flash Point (Method Used)	Flammable Limits	LEL	UEL
Not Applicable	No Data	No Data	No Data

Extinguishing Media -

Will not support combustion. All recognized methods acceptable.

Special Fire Fighting Procedures - Keep containers cool and vapors down with water spray. Prevent runoff from entering sewers and public waterways. Wear SCBA in chemical fires.

Material Safety Data Sheet

Unusual Fire and Explosion Hazards -

Will not support combustion.

SECTION V – Stability and Reactivity			
Stability	Unstable		Conditions to Avoid - Heat, sparks, open flames
	Stable	X	

Incompatibility (Materials to Avoid) -

None known

Hazardous Decomposition or Byproducts -

None known

TYONG KHOWH			
Hazardous	May Occur		Conditions to Avoid - None known
Polymerization	Will Not	X	
	Occur		

SECTION VI - Health Hazard						
Route(s) of Entry	Eyes?	Inhalation?	Skin?	Ingestion?		
	No	No	No	Yes		

Health Hazards (Acute and Chronic) -

Caution: Not generally considered an occupational hazard

Signs and Symptoms of Exposure -

Not determined

Medical Conditions Generally Aggravated by Exposure -

Not determined

SECTION VII – First Aid Measures

Emergency and First Aid Procedures:

Eyes – Customary use. If irritation develops, call a physician. **Skin** - Rinse skin with plenty of water. If irritation develops, call a physician. **Inhalation** – Move person to fresh air. If breathing has stopped, qualified personnel should administer artificial respiration. **Ingestion** – Do not induce vomiting. Never give anything by mouth to an unconscious person. Rinse out mouth and have patient drink several glasses or water. Call a physician.

SECTION VIII - Precautions for Safe Handling and Use

Steps to be Taken in Case Material is Released or Spilled -

Caution, slip hazard. Wipe up small spills with an absorbent material. For large spills, pick up with a vacuum or an absorbent material. Place waste in appropriate container for disposal.

Waste Disposal Method - Consult local, state, and federal regulations. Do not reuse empty container.

Precautions to be Taken in Handling and Storing – Avoid skin and excessive eye contact. Should such contact occur, wash exposed area promptly. Store in a cool (under 120° F) dry location away from heat, sparks and open flame. Do not use around ignition sources such as heat, sparks, flame, etc. Do not smoke while using. Use with adequate ventilation.

Other Precautions - Follow label directions carefully. Keep out of reach of children. Keep container tightly sealed when not in use. Do not contaminate water, food or feed by use or storage. Do not swallow. Avoid inhaling mist and vapors.

SECTION IX - Control Measures

Respiratory Protection (Specify Type) - Not usually necessary. Use with adequate ventilation. Use NIOSH/MSHA approved respirator if PELs or TLVs are exceeded.

Ventilation	Local Exhaust	Not usually needed	Special	None
	Mechanical (General)	Yes	Other	None

Material Safety Data Sheet

Protective Gloves
Rubber or Neoprene

Eye Protection
Wear safety glasses for splash protection.

Other Protective Clothing or Equipment -

Not usually necessary. Avoid direct contact.

Work/Hygienic Practices -

Normal. Wash hands after use and before eating, drinking, smoking, using restrooms, etc.

SECTION X – Toxicology Information

No Data Available.

Carcinogenicity:NTP?IARC Monographs?OSHA Regulated?No Data Available.NoNoNo

SECTION XI – Ecological Information

No Data Available.

SECTION XII – Disposal Condition

Dispose of in-accordance with local, State and Federal regulations.

SECTION XIII – Transport Information

Land Transport (US DOT)

This material is not subject to the transportation regulations of DOT, ICAO, IMO, and the ADR.

SECTION XIV – Regulatory Information

No Data Available.

SECTION XV – Other Information

Do not use if tamper resistant seal has been open

Company Policy or Disclaimer

The information and data are offered in good faith as typical values and not as a product specification. We extend No warranty, either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. All materials may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

NO INFORMATION BEYOND THIS POINT



Material Safety Data Sheet .

Health 0
Thing 0
Reactivity 0
Personal
Protection

Royal Paper Products, Inc PO Box 151 Coatesville, Pa 19320

Section IProduct Inform	ation					
TRADE NAME:		FOR INF	FOR INFORMATION OR IN AN EMERO			
Lemon Scent Molet Towele	Lemon Scent Molet Towelette		610-384-340	00 .i		
Section II—Active ingred	lients/jdentity/l	nformation				
Active Ingredient: None			CA	S Number: NA		
Section:III—Rhysical/Che	emical Charact	eristics				
Boiling Point: N/A		Specific (Fravity (H20 = 1): □	N/A		
Melting point: N/A		Melting P	olnt: N/A			
Vapor Density (AIR = 1): N	√A	Evaporat	Evaporation Rate (Butyl Acetate = 1): N/A			
Solubility In Water: Soluble)		L. 1844 Andrews - 1444 - 1444 - 1444 - 1444 - 1444 - 1444 - 1444 - 1444 - 1444 - 1444 - 1444 - 1444 - 1444 - 1			
Appearance and Odor: Co	lorless to light yel	low in aqueou	s solution with lemo	n scent		
Section IV—Fire and Exp	losion Hazard	Datal 💎 🙃				
Flash Point: >200 deg. F.	Flammable Lin 0 ¤ Minimai	nits: 0	Health: 0 0 = Minimai	Reactivity: 0 0 = Minimal		
Extinguishing Media: Wat	er spray/all-purpo	se dry chemic	pal			
Section V—Reactivity/Da	ıta 🗼					
Stability; Stable	ible Cor		ndItions to Avold: None known			
Incompatibility: None						
Hazardous Decomposition						
Hazardous Polymerization: Will not occur		C	onditions to Avoid	: None known		

Section VI—Health Hazard Data

Health Hazards:

Skin: Discontinue use if rash or irritation occurs.

Eyes: Direct ocular exposure may cause eye irritation, but no permanent eye injury is expected.

Inhalation: None Swallowing: None

Emergency and First Aid Procedures:

Skin Contact: Wash exposed area with soap and cold water. Discontinue use. If irritation persists,

obtain medical advice

Eye Contact: Remove contact lenses. Flush eye area for 15 minutes with large concentrations of

water. If Irritation persists, obtain medical advice.

Inhalation: N/A Swallowing: N/A

Section VII—Precautions for Safe Handling and Use.

Steps to Be Taken in Case Material is Released or Spilled:

Flush with water

Waste Disposal Method:.

Any disposal practice must be in compliance with local, state and federal laws and regulations (contact local or state environmental agency for specific rules.

Handling and Storing:

Store in a cool, dry place.

Section VII—Control Measures

Respiratory Protection: N/A

Protective Gloves: N/A

Eye Protection: Safety glasses recommended

Section VIII:--Transportation/Shipping:

This product is not regulated as a DOT hazardous material.

Section IX —Discialmen

THE INFORMATION IN THIS MSDS WAS OBTAINED FROM CURRENT AND REPUTABLE SOURCES. HOWEVER, THE DATA IS PROVIDED WITHOUT ANY WARRANTY, EXPRESS, OR IMPLIED, REGARDING ITS CORRECTNESS OR ACCURACY. IT IS THE USER'S RESPONSIBILITY TO DETERMINE SAFE CONDITION FOR USE OF THIS PRODUCT AND TO ASSUME LIABILITY FOR LOSS, INJURY, DAMAGE, OR EXPENSE RESULTING FROM IMPROPER USE OF THIS PRODUCT.

Roylsed: 2/15/07 Supersedes: 2/13/07