

May 6, 2020

Dear Valued Customer:

RE: California Proposition 65 (Prop 65) and Nazdar's Products

Often Printers have questions concerning California Proposition 65 and compliance of the inks used to print on products and articles. This letter provides information from the ink manufacturer's perspective.

Prop 65 requires businesses to provide warnings on/with their products to Californians about significant exposures to chemicals that cause cancer, birth defects or other reproductive harm. By law, a warning must be given for Prop 65 listed chemicals unless the exposure is low enough to pose no significant risk of cancer or is significantly below levels observed to cause birth defects or other reproductive harm. If a warning label is placed on/with a product, the business issuing the warning is aware or believes that it is exposing individuals to one or more listed chemicals.[†]

Nazdar products can contain Prop 65 chemicals as noted on the safety data sheets (SDSs), but simply because a component is subject to Prop 65 does not mean a warning on/with the finished printed product is required. Nazdar products typically contain Prop 65 chemicals that are volatile in nature or do not pose an exposure risk when on finished printed articles. Once cured or dried on a finished article it is highly unlikely that exposure would occur.

Further to this, warning requirements are dependent on the anticipated level of exposure to the Prop 65 chemicals, which result from the foreseeable uses of a product. The warning requirements will only apply if the foreseeable and intended uses of a product containing these chemicals are likely to result in exposures that exceed the "significant risk" or "observable effect" levels. A determination of "significant risk" or "observable effect" can only be made with full knowledge of the end uses and applications of the products.

Nazdar does not control or have knowledge of the end uses of our products. Nazdar, therefore, cannot make any guarantee regarding the actual exposure levels to the Prop 65 chemicals. Nazdar recommends companies review the Prop 65 regulation to determine their appropriate methods and requirements for compliance concerning Prop 65. The decision to include or not include a Prop 65 notice (label) must ultimately rest with the company using Nazdar products.

Additional information concerning Prop 65 can be found at the following web sites: <u>https://www.p65warnings.ca.gov/</u> and <u>http://www.oehha.ca.gov/prop65.html</u>. If you have any additional questions, please contact Regulatory Compliance at the number listed below.

Sincerely, Nazdar Regulatory Compliance

*†*Reference: Loose translation taken from https://www.p65warnings.ca.gov/

May 2020



Regulatory Information California Proposition 65

Substances listed in California Proposition 65 (issued June 28, 2019) are not part of the formulation of

700-HDA Series 711 Series 712 Series 747 Series 750 Series 752

and are not intentionally added.

Carbon black CAS-Nr. 1333-86-4 Titanium dioxide CAS 13463-67-7

are used but not as airborne, unbound particles of respirable size.

- 700-HDI

contains <0,5% Toluene diisocyanate CAS-Nr. 26471-62-5

Printcolor Screen AG Welschloh 299 CH-8965 Berikon Switzerland www.printcolor.ch

J. Ellen

Thomas Ellinger Compliance Manager

August 29, 2019



Regulatory Information California Proposition 65

Substances listed in California Proposition 65 (issued June 28, 2019) are not part of the formulation of

700-HDA Series 711 Series 712 Series 747 Series 750 Series 752

and are not intentionally added.

- 700-HDI

contains <0,5% Toluene diisocyanate CAS-Nr. 26471-62-5

Printcolor Screen AG Welschloh 299 CH-8965 Berikon Switzerland www.printcolor.ch

A. Eller

Thomas Ellinger Compliance Manager

February 10, 2021



TEST REPORT

Date of Report:	2/14/2020
Project ID / Job Number:	234013355
Client:	Image Technology, Inc.
Address:	1380 N. Knollwood Circle Anaheim, CA 92801 USA
Model Identification:	LB9007, LB9200, LB9215, LB9300, LB9425, LB9500, LB9600, HD9000, NW9050, SW0900, LB9355, LB9255, LB9275, SKLB9000, LB9100
Item Description:	Puff White, Low Bleed Cotton White, Majestic White, Downy White, Sonic White, Poly Max White, Velocity White, High Density White, Nylon White, Stretch White, WHITE LB, WHITE LB, WHITE, WHITE, WHITE
Number of Samples Submitted:	15
Additional Information:	Whites
Test Parameters:	Multiple Parameters Cal Prop 65 / CPSIA
Date Received:	1/21/2020
Testing Period:	1/29/2020 – 2/6/2020
Delivery Condition:	Apparent Good
Testing Location:	TÜV Rheinland of North America 2709 SE Otis Corley Dr, Suite 11 Bentonville, AR 72712 USA
Other Aspects:	N/A

Test Report Compiled by:

mit th

Matt Coleman / Chemist

Test Report Reviewed by:

Madison Schaugaard / Laboratory Supervisor

Test result is drawn according to the kind and extent of tests performed. This test report is not permitted to be duplicated in extracts without permission of the test facility. This test report does not entitle any safety mark on this or similar products.



Test Parameters:

Test Specification
1. Total Lead Content in Surface Coatings – CPSIA / Cal Prop 65
2. Total Phthalate Content in Substrates – CPSIA / Cal Prop 65

Test Results:

Material Breakdown List - Chemical Testing

Material No.	Color	Component / Location		
1	Puff White	LB9007		
2	Low Bleed Cotton White	LB9200		
3	Majestic White	LB9215		
4	Downy White	LB9300		
5	Sonic White	LB9425		
6	Poly Max White	LB9500		
7	Velocity White	LB9600		
8	High Density White	HD9000		
9	Nylon White	NW9050		
10	Stretch White	SW0900		
11	WHITE LB	LB9355		
12	WHITE LB	LB9255		
13	WHITE	LB9275		
14	WHITE	SKLB9000		
15	WHITE	LB9100		

RESULTS

1. TOTAL LEAD CONTENT IN SURFACE COATINGS:

The product shall comply with the Consumer Product Safety Act (CPSA) Regulations, 16 CFR 1303 and Consumer Product Safety Improvement Act (CPSIA). Surface coatings on toys and other articles intended for children shall not have total lead content in excess of 0.009 % (90 ppm).

Test method: The sample was analyzed by X-Ray Fluorescence Spectroscopy (XRF) according to ASTM F2853-10

TestNe	Material or	Lead Content (mg/kg)	Maximum Permissible Limit			
Test No.	Component	MDL: 5 mg/kg	(Pass/Fail)			
1	1	<5 mg/kg	Pass			
2	2	<5 mg/kg	Pass			
3	3	<5 mg/kg	Pass			
4	4	<5 mg/kg	Pass			
5	5	<5 mg/kg	Pass			
6	6	<5 mg/kg	Pass			
7	7	<5 mg/kg	Pass			



Page 3 of 4

TestNe	Material or	Lead Content (mg/kg)	Maximum Permissible Limit			
Test NO.	Component	MDL: 5 mg/kg	(Pass/Fail)			
8	8	<5 mg/kg	Pass			
9	9	<5 mg/kg	Pass			
10	10	<5 mg/kg	Pass			
11	11	<5 mg/kg	Pass			
12	12	<5 mg/kg	Pass			
13	13	<5 mg/kg	Pass			
14	14	<5 mg/kg	Pass			
15	15	<5 mg/kg	Pass			

Abbreviation: MDL = Method Detection Limit

imit mg/kg denotes milligram per kilogram (ppm)

2. TOTAL PHTHALATE CONTENT IN SUBSTRATES:

The CPSC prohibits children's toys and child care articles from containing concentrations of more than 0.1 percent of five phthalate chemicals, specifically diisononyl phthalate (DINP), diisobutyl phthalate (DIBP), di-n-pentyl phthalate (DPENP), di-n-hexyl phthalate (DHEXP), and dicyclohexyl phthalate (DCHP). Three phthalate chemicals, specifically di-(2-ethylhexyl) phthalate (DEHP), dibutyl phthalate (DBP), and benzyl butyl phthalate (BBP), under the CPSIA remains in full force and effect. Additionally, according to Cal Prop 65 settlements, toys and childcare articles may not contain more than 1000 ppm (0.100%) of each of DBP, BBP, DEHP, DIDP, and Di -n-hexyl phthalate (DnHP).

Test method: The sample was analyzed by organic solvent extraction and GCMS according to CPSC-CH-C1001-09.4

Test	Matorial	MDL: 0.005%								Maximum Permissible Limit	
No.	DiBP (%)	DBP (%)	DPENP (%)	DnHP (%)	BBP (%)	DEHP (%)	DCHP (%)	DINP (%)	DIDP (%)	0.100 % (Pass/Fail)	
1	1,2,3	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	Pass
2	4,5,6	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	Pass
3	7,8,9	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	Pass
4	10,11,12	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	Pass
5	13,14,15	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	Pass

Abbreviation:

MDL = Method Detection Limit BBP = Benzyl butyl phthalate DEHP = Di-(2-ethylhexyl) phthalate DIBP = Diisobutyl phthalate DCHP = Dicyclohexyl phthalate DIDP = Di-iso-decyl phthalate DBP = Dibutyl phthalate DPENP = Di-n-pentyl phthalate DINP = Diisononyl phthalate DHEXP/DnHP = Di-n-hexyl phthalate



Sample Photos:



Test Article(s)

-- END --



TEST REPORT

Date of Report:	2/14/2020
Project ID / Job Number:	234013355
Client:	Image Technology, Inc.
Address:	1380 N. Knollwood Circle Anaheim, CA 92801 USA
Model Identification:	SB0000, SB0200, SB0300, SB0350, SB0400, SB0500, SB0700, SB0850, SB0900, SB0110, SB0120, SB0130, SB0140, LB0100, HD0100
Item Description:	PFM Mixing Base, Stretch Base, Suede Base, FX Foil Adhesive, Ultra Clear Gel Base, HO Mixing Base, Suave Clara Base LV, Velocity Blocker Grey Base, Thermo Clear, Super Nova Base, Soft Hand Base, Puff Base, Glitter Base, POLY BASE, HIGH DENSITY BASE
Number of Samples Submitted:	15
Additional Information:	Bases
Test Parameters:	Multiple Parameters Cal Prop 65 / CPSIA
Date Received:	1/21/2020
Testing Period:	1/29/2020 – 2/6/2020
Delivery Condition:	Apparent Good
Testing Location:	TÜV Rheinland of North America 2709 SE Otis Corley Dr, Suite 11 Bentonville, AR 72712 USA
Other Aspects:	N/A

Test Report Compiled by:

mit th

Matt Coleman / Chemist

Test Report Reviewed by:

Madison Schaugaard / Laboratory Supervisor

Test result is drawn according to the kind and extent of tests performed. This test report is not permitted to be duplicated in extracts without permission of the test facility. This test report does not entitle any safety mark on this or similar products.



Test Parameters:

Test Specification
1. Total Lead Content in Surface Coatings – CPSIA / Cal Prop 65
2. Total Phthalate Content in Substrates – CPSIA / Cal Prop 65

Test Results:

Material Breakdown List - Chemical Testing

Material No.	Color	Component / Location
1	PFM Mixing Base	SB0000
2	Stretch Base	SB0200
3	Suede Base	SB0300
4	FX Foil Adhesive	SB0350
5	Ultra Clear Gel Base	SB0400
6	HO Mixing Base	SB0500
7	Suave Clara Base LV	SB0700
8	Velocity Blocker Grey Base	SB0850
9	Thermo Clear	SB0900
10	Super Nova Base	SB0110
11	Soft Hand Base	SB0120
12	Puff Base	SB0130
13	Glitter Base	SB0140
14	Poly Base	LB0100
15	High Density Base	HD0100

RESULTS

1. TOTAL LEAD CONTENT IN SURFACE COATINGS:

The product shall comply with the Consumer Product Safety Act (CPSA) Regulations, 16 CFR 1303 and Consumer Product Safety Improvement Act (CPSIA). Surface coatings on toys and other articles intended for children shall not have total lead content in excess of 0.009 % (90 ppm).

Test method: The sample was analyzed by X-Ray Fluorescence Spectroscopy (XRF) according to ASTM F2853-10

Tastha	Material or	Lead Content (mg/kg)	Maximum Permissible Limit			
lest No.	Component	MDL: 5 mg/kg	(Pass/Fail)			
1	1	<5 mg/kg	Pass			
2	2	<5 mg/kg	Pass			
3	3	<5 mg/kg	Pass			
4	4	<5 mg/kg	Pass			
5	5	<5 mg/kg	Pass			
6	6	<5 mg/kg	Pass			



Page 3 of 4

	Material or	Lead Content (mg/kg)	Maximum Permissible Limit 90 mg/kg (Pass/Fail)			
lest No.	Component	MDL: 5 mg/kg				
7	7	<5 mg/kg	Pass			
8	8	<5 mg/kg	Pass			
9	9	<5 mg/kg	Pass			
10	10	<5 mg/kg	Pass			
11	11	<5 mg/kg	Pass			
12	12	<5 mg/kg	Pass			
13	13	<5 mg/kg	Pass			
14	14	<5 mg/kg	Pass			
15	15	<5 mg/kg	Pass			

Abbreviation:

MDL = Method Detection Limit

mg/kg denotes milligram per kilogram (ppm)

2. TOTAL PHTHALATE CONTENT IN SUBSTRATES:

The CPSC prohibits children's toys and child care articles from containing concentrations of more than 0.1 percent of five phthalate chemicals, specifically diisononyl phthalate (DINP), diisobutyl phthalate (DIBP), di-n-pentyl phthalate (DPENP), di-n-hexyl phthalate (DHEXP), and dicyclohexyl phthalate (DCHP). Three phthalate chemicals, specifically di-(2-ethylhexyl) phthalate (DEHP), dibutyl phthalate (DBP), and benzyl butyl phthalate (BBP), under the CPSIA remains in full force and effect. Additionally, according to Cal Prop 65 settlements, toys and childcare articles may not contain more than 1000 ppm (0.100%) of each of DBP, BBP, DEHP, DIDP, and Di -n-hexyl phthalate (DnHP).

Test method: The sample was analyzed by organic solvent extraction and GCMS according to CPSC-CH-C1001-09.4

Test	Matorial	MDL: 0.005%								Maximum Permissible Limit	
No.	DiBP (%)	DBP (%)	DPENP (%)	DnHP (%)	BBP (%)	DEHP (%)	DCHP (%)	DINP (%)	DIDP (%)	0.100 % (Pass/Fail)	
1	1,2,3	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	Pass
2	4,5,6	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	Pass
3	7,8,9	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	Pass
4	10,11,12	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	Pass
5	13,14,15	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	Pass

Abbreviation:

MDL = Method Detection Limit BBP = Benzyl butyl phthalate

DEHP = Di-(2-ethylhexyl) phthalate DIBP = Diisobutyl phthalate DCHP = Dicyclohexyl phthalate DIDP = Di-iso-decyl phthalate DBP = Dibutyl phthalate DPENP = Di-n-pentyl phthalate DINP = Diisononyl phthalate DHEXP/DnHP = Di-n-hexyl phthalate



Sample Photos:



Test Article(s)

-- END --



TEST REPORT

Date of Report:	2/14/2020
Project ID / Job Number:	234013355
Client:	Image Technology, Inc.
Address:	1380 N. Knollwood Circle Anaheim, CA 92801 USA
Model Identification:	QIT14S / QIT14SLV, LB9375, LB9217, LB9160, LB9161, LB9350, LB9450, LB9495
Item Description:	WHITE LB, WHITE LB, WHITE LB, LB White, Cotton White, Downy White, BRITE WHITE, WHITE LB
Number of Samples Submitted:	8
Additional Information:	Whites
Additional Information: Test Parameters:	Whites Multiple Parameters Cal Prop 65 / CPSIA
Additional Information: Test Parameters: Date Received:	Whites Multiple Parameters Cal Prop 65 / CPSIA 1/21/2020
Additional Information: Test Parameters: Date Received: Testing Period:	Whites Multiple Parameters Cal Prop 65 / CPSIA 1/21/2020 1/29/2020 – 2/6/2020
Additional Information: Test Parameters: Date Received: Testing Period: Delivery Condition:	Whites Multiple Parameters Cal Prop 65 / CPSIA 1/21/2020 1/29/2020 – 2/6/2020 Apparent Good
Additional Information: Test Parameters: Date Received: Testing Period: Delivery Condition: Testing Location:	Whites Multiple Parameters Cal Prop 65 / CPSIA 1/21/2020 1/29/2020 – 2/6/2020 Apparent Good TÜV Rheinland of North America 2709 SE Otis Corley Dr, Suite 11 Bentonville, AR 72712 USA

Test Report Compiled by:

mit th

Matt Coleman / Chemist

Test Report Reviewed by:

Madison Schaugaard / Laboratory Supervisor

Test result is drawn according to the kind and extent of tests performed. This test report is not permitted to be duplicated in extracts without permission of the test facility. This test report does not entitle any safety mark on this or similar products.



Test Parameters:

Test Specification
1. Total Lead Content in Surface Coatings – CPSIA / Cal Prop 65
2. Total Phthalate Content in Substrates – CPSIA / Cal Prop 65

Test Results:

Material Breakdown List - Chemical Testing

Material No.	Color	Component / Location
1	WHITE LB	QIT14S / QIT14SLV
2	WHITE LB	LB9375
3	WHITE LB	LB9217
4	LB White	LB9160
5	Cotton White	LB9161
6	Downy White	LB9350
7	BRITE WHITE	LB9450
8	WHITE LB	LB9495

RESULTS

1. TOTAL LEAD CONTENT IN SURFACE COATINGS:

The product shall comply with the Consumer Product Safety Act (CPSA) Regulations, 16 CFR 1303 and Consumer Product Safety Improvement Act (CPSIA). Surface coatings on toys and other articles intended for children shall not have total lead content in excess of 0.009 % (90 ppm).

Test method: The sample was analyzed by X-Ray Fluorescence Spectroscopy (XRF) according to ASTM F2853-10

Test No	Material or	Lead Content (mg/kg)	Maximum Permissible Limit 90 mg/kg (Pass/Fail)		
Test NO.	Component	MDL: 5 mg/kg			
1	1	<5 mg/kg	Pass		
2	2	<5 mg/kg	Pass		
3	3	<5 mg/kg	Pass		
4	4	<5 mg/kg	Pass		
5	5	<5 mg/kg	Pass		
6	6	<5 mg/kg	Pass		
7	7	<5 mg/kg	Pass		
8	8	<5 mg/kg	Pass		

Abbreviation:

MDL = Method Detection Limit

mg/kg denotes milligram per kilogram (ppm)



2. TOTAL PHTHALATE CONTENT IN SUBSTRATES:

The CPSC prohibits children's toys and child care articles from containing concentrations of more than 0.1 percent of five phthalate chemicals, specifically diisononyl phthalate (DINP), diisobutyl phthalate (DIBP), di-n-pentyl phthalate (DPENP), di-n-hexyl phthalate (DHEXP), and dicyclohexyl phthalate (DCHP). Three phthalate chemicals, specifically di-(2-ethylhexyl) phthalate (DEHP), dibutyl phthalate (DBP), and benzyl butyl phthalate (BBP), under the CPSIA remains in full force and effect. Additionally, according to Cal Prop 65 settlements, toys and childcare articles may not contain more than 1000 ppm (0.100%) of each of DBP, BBP, DEHP, DIDP, and Di -n-hexyl phthalate (DnHP).

Test method: The sample was analyzed by organic solvent extraction and GCMS according to CPSC-CH-C1001-09.4

Test	Material	MDL: 0.005%							Maximum Permissible Limit		
No.	Wateria	DiBP (%)	DBP (%)	DPENP (%)	DnHP (%)	BBP (%)	DEHP (%)	DCHP (%)	DINP (%)	DIDP (%)	0.100 % (Pass/Fail)
1	1,2,3	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	Pass
2	4,5,6	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	Pass
3	7,8	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	Pass

Abbreviation:

MDL = Method Detection Limit BBP = Benzyl butyl phthalate DEHP = Di-(2-ethylhexyl) phthalate DIBP = Diisobutyl phthalate DCHP = Dicyclohexyl phthalate DIDP = Di-iso-decyl phthalate DBP = Dibutyl phthalate DPENP = Di-n-pentyl phthalate DINP = Diisononyl phthalate DHEXP/DnHP = Di-n-hexyl phthalate

Sample Photos:



Test Article(s)

-- END --



TEST REPORT

Date of Report:	2/14/2020
Project ID / Job Number:	234013355
Client:	Image Technology, Inc.
Address:	1380 N. Knollwood Circle Anaheim, CA 92801 USA
Model Identification:	QC8915, QC8911, RF8505, QC8917, QC8950, HD8000
Item Description:	SOFT BLACK, Black, REFLECTIVE BLACK, Executive Black (Matte), Poly Black, Soft Density Black
Number of Samples Submitted:	6
Additional Information:	Black
Additional Information: Test Parameters:	Black Multiple Parameters Cal Prop 65 / CPSIA
Additional Information: Test Parameters: Date Received:	Black Multiple Parameters Cal Prop 65 / CPSIA 1/21/2020
Additional Information: Test Parameters: Date Received: Testing Period:	Black Multiple Parameters Cal Prop 65 / CPSIA 1/21/2020 1/29/2020 – 2/6/2020
Additional Information: Test Parameters: Date Received: Testing Period: Delivery Condition:	Black Multiple Parameters Cal Prop 65 / CPSIA 1/21/2020 1/29/2020 – 2/6/2020 <i>Apparent Good</i>
Additional Information: Test Parameters: Date Received: Testing Period: Delivery Condition: Testing Location:	Black Multiple Parameters Cal Prop 65 / CPSIA 1/21/2020 1/29/2020 – 2/6/2020 Apparent Good TÜV Rheinland of North America 2709 SE Otis Corley Dr, Suite 11 Bentonville, AR 72712 USA

Test Report Compiled by:

mit th

Matt Coleman / Chemist

Test Report Reviewed by:

Madison Schaugaard / Laboratory Supervisor

Test result is drawn according to the kind and extent of tests performed. This test report is not permitted to be duplicated in extracts without permission of the test facility. This test report does not entitle any safety mark on this or similar products.



Test Parameters:

Test Specification
1. Total Lead Content in Surface Coatings – CPSIA / Cal Prop 65
2. Total Phthalate Content in Substrates – CPSIA / Cal Prop 65

Test Results:

Material Breakdown List - Chemical Testing

See Attachment

Material No.	Color	Component / Location
1	SOFT BLACK	QC8915
2	Black	QC8911
3	REFLECTIVE BLACK	RF8505
4	Executive Black (Matte)	QC8917
5	Poly Black	QC8950
6	Soft Density Black	HD8000

RESULTS

1. TOTAL LEAD CONTENT IN SURFACE COATINGS:

The product shall comply with the Consumer Product Safety Act (CPSA) Regulations, 16 CFR 1303 and Consumer Product Safety Improvement Act (CPSIA). Surface coatings on toys and other articles intended for children shall not have total lead content in excess of 0.009 % (90 ppm).

Test method: The sample was analyzed by X-Ray Fluorescence Spectroscopy (XRF) according to ASTM F2853-10

Tastha	Material or	Lead Content (mg/kg)	Maximum Permissible Limit 90 mg/kg (Pass/Fail)		
Test NO.	Component	MDL: 5 mg/kg			
1	1	<5 mg/kg	Pass		
2	2	<5 mg/kg	Pass		
3	3	<5 mg/kg	Pass		
4	4	<5 mg/kg	Pass		
5	5	<5 mg/kg	Pass		
6	6	<5 mg/kg	Pass		

Abbreviation:

MDL = Method Detection Limit

mg/kg denotes milligram per kilogram (ppm)



2. TOTAL PHTHALATE CONTENT IN SUBSTRATES:

The CPSC prohibits children's toys and child care articles from containing concentrations of more than 0.1 percent of five phthalate chemicals, specifically diisononyl phthalate (DINP), diisobutyl phthalate (DIBP), di-n-pentyl phthalate (DPENP), di-n-hexyl phthalate (DHEXP), and dicyclohexyl phthalate (DCHP). Three phthalate chemicals, specifically di-(2-ethylhexyl) phthalate (DEHP), dibutyl phthalate (DBP), and benzyl butyl phthalate (BBP), under the CPSIA remains in full force and effect. Additionally, according to Cal Prop 65 settlements, toys and childcare articles may not contain more than 1000 ppm (0.100%) of each of DBP, BBP, DEHP, DIDP, and Di -n-hexyl phthalate (DnHP).

Test method: The sample was analyzed by organic solvent extraction and GCMS according to CPSC-CH-C1001-09.4

Test	Material	MDL: 0.005%							Maximum Permissible Limit		
No.	Wateria	DiBP (%)	DBP (%)	DPENP (%)	DnHP (%)	BBP (%)	DEHP (%)	DCHP (%)	DINP (%)	DIDP (%)	0.100 % (Pass/Fail)
1	1,2,3	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	Pass
2	4,5,6	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	Pass

Abbreviation:

MDL = Method Detection Limit BBP = Benzyl butyl phthalate DEHP = Di-(2-ethylhexyl) phthalate DIBP = Diisobutyl phthalate DCHP = Dicyclohexyl phthalate DIDP = Di-iso-decyl phthalate DBP = Dibutyl phthalate DPENP = Di-n-pentyl phthalate DINP = Diisononyl phthalate DHEXP/DnHP = Di-n-hexyl phthalate

Sample Photos:



Test Article(s)

-- END --





TEST REPORT

Test Report #	19H-006506	Date of Report Issue:	Septem	ber 9, 2019
Date of Sample Received:	August 29, 2019	Pages:	Page 1 o	of 17
CLIENT INFORMATION:				
Company:	Boston Industrial Soluti	ons, Inc.		
Recipient:	Ephraim Wahiga		Care prime law	
Recipient Email:	ephraim.w@bostonind	ustrialsolutions.com		The second
SAMPLE INFORMATION:				19H-009206
Description:	Samples labelled SE			
Assortment:	-	Purchase Order Numl	ber:	-
SKU/style No.:	-	Toy Co./Agency:		-
Factory/Supplier/Vendor:	Boston Industrial Soluti Inc.	ons, Country of Origin:		United States
Country of Distribution:	World Wide	Labeled Age Grade:		-
Quantity Submitted:	1 lot per style	Recommended Age G	irade:	-
Testing Period:	09/03/2019 - 09/09/20	19 Tested Age Grade:		-

OVERALL RESULT:

PASS

Refer to page 2 for test result summary and appropriate notes.

QIMA Testing (HK) Limited

Loska Yeung Lok Ka Assistant Manager, Chemical Laboratory

QIMA Testing (HK) Limited * 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong * Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally. Test(s) marked with '\psi' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein. If it is not further specified in the report, the decision rule for stating conformity is based on the <u>QIMA decision rule</u>.



TEST RESULTS SUMMARY:

At the request of the client, the following tests were conducted:

CONCLUSION	TEST(S) CONDUCTED
PASS	CPSIA Section 106 & ASTM F963-17 Toy Safety, Clause 4.3.5 Total Elements Screening in Paint and Similar Surface Coatings
PASS	ASTM F2923-14 Consumer Product Safety for Children's Jewelry, Clause 8 Total Elements Screening in Paint and Surface Coatings
PASS	CPSIA Section 101 & 16 CFR 1303, Total Lead in Paints and Surface Coatings
PASS	The Illinois Lead Poisoning Prevention Act (LPPA) (410 ILCS 45/6), Total Lead in Paints and Surface Coatings of Children's Jewelry and Childcare Articles
PASS	Connecticut Public Act 10-113 (Substituted House Bill 5314), Total Cadmium Content in Children's Jewelry
PASS	Maryland Chapter 578 (House Bill 145), Total Cadmium in Children's Jewelry
PASS	Minnesota Chapter 347-S.F. No. 2510, Total Cadmium Screening in Children's Jewelry
PASS	California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)
PASS	16 CFR 1307 Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates (DBP, BBP, DEHP, DINP, DHEXP / DnHP, DCHP, DIBP, DPENP)
PASS	Washington Revised Code Section 70.240.020, Phthalates in Children's Product
PASS	Canadian Toys Regulations SOR/2011-17 as Amended, Item 23 – Total Elements Screening in Paints and Surface Coatings
PASS	Canadian Surface Coating Materials Regulations SOR/2016-193, Total Lead and Mercury in Paints and Surface Coatings
PASS	Mexican Environmental Health NOM-252-SSA1-2011, Total Elements Screening from Toys and School Supplies

QIMA Testing (HK) Limited * 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong * Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally. Test(s) marked with '\$\phi\$ was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein. If it is not further specified in the report, the decision rule for stating conformity is based on the <u>QIMA decision rule</u>.



DETAILED RESULTS:

CPSIA Section 106 & ASTM F963-17 Toy Safety, Clause 4.3.5 Total Elements Screening in Paint and Similar Surface Coatings

Test Method:	ASTM F963-17 Clause 8.3.1
Analytical Method:	Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1+2+3	4+5+6	7+8+9			Soluble
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Limit (ppm)
Total Antimony (Sb)	ND	ND	ND			60
Total Arsenic (As)	ND	ND	ND			25
Total Barium (Ba)	83	ND	ND			1000
Total Cadmium (Cd)	ND	ND	ND			75
Total Chromium (Cr)	ND	ND	ND			60
Total Lead (Pb)	ND	ND	ND			90
Total Mercury (Hg)	ND	ND	ND			60
Total Selenium (Se)	ND	ND	ND			500
Conclusion	PASS	PASS	PASS			

Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit: Sb, As, Ba, Cd, Cr, Pb, Hg = 20ppm; Se = 50ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

The total heavy metals screening results do not exceed the soluble heavy metal limits, therefore, further soluble analyses were not conducted.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein. If it is not further specified in the report, the decision rule for stating conformity is based on the <u>QIMA decision rule</u>.



DETAILED RESULTS:

ASTM F2923-14 Consumer Product Safety for Children's Jewelry, Clause 8 Total Elements Screening in Paint and Surface Coatings

Test Method:	ASTM F963-11 Clause 8.3.1
Analytical Method:	Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1+2+3	4+5+6	7+8+9			Soluble
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Limit (ppm)
Total Antimony (Sb)	ND	ND	ND			60
Total Arsenic (As)	ND	ND	ND			25
Total Barium (Ba)	83	ND	ND			1000
Total Cadmium (Cd)	ND	ND	ND			75
Total Chromium (Cr)	ND	ND	ND			60
Total Mercury (Hg)	ND	ND	ND			60
Total Selenium (Se)	ND	ND	ND			500
Conclusion	PASS	PASS	PASS			

Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit: Sb, As, Ba, Cd, Cr, Hg = 20 ppm; Se = 50 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

The total heavy metals screening results do not exceed the soluble heavy metal limits, therefore, further soluble analyses were not conducted.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein. If it is not further specified in the report, the decision rule for stating conformity is based on the <u>QIMA decision rule</u>.



DETAILED RESULTS:

CPSIA Section 101 & 16 CFR 1303, Total Lead in Paints and Surface Coatings

Test Method:CPSC-CH-E-1003-09.1Analytical Method:Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1+2+3	4+5+6	7+8+9			Total
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Limit (ppm)
Total Lead (Pb)	ND	ND	ND			90
Conclusion	PASS	PASS	PASS			

Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

QIMA Testing (HK) Limited * 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong * Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally. Test(s) marked with '\$\phi\$ was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein. If it is not further specified in the report, the decision rule for stating conformity is based on the <u>QIMA decision rule</u>.



DETAILED RESULTS:

The Illinois Lead Poisoning Prevention Act (LPPA) (410 ILCS 45/6), Total Lead in Paints and Surface Coatings of Children's Jewelry and Childcare Articles

Test Method:CPSC-CH-E-1003-09.1Analytical Method:Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1+2+3	4+5+6	7+8+9			Total
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Limit (ppm)
Total Lead (Pb)	ND	ND	ND			40
Conclusion	PASS	PASS	PASS			

Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

QIMA Testing (HK) Limited * 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong * Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally. Test(s) marked with '\$\phi\$ was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein. If it is not further specified in the report, the decision rule for stating conformity is based on the <u>QIMA decision rule</u>.



DETAILED RESULTS:

Connecticut Public Act 10-113 (Substituted House Bill 5314), Total Cadmium Content in Children's Jewelry

Test Method:	ASTM F963-17 Clause 8.3.1
Analytical Method:	Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1+2+3	4+5+6	7+8+9			Total
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Limit (ppm)
Total Cadmium (Cd)	ND	ND	ND			75
Conclusion	PASS	PASS	PASS			

Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein. If it is not further specified in the report, the decision rule for stating conformity is based on the <u>QIMA decision rule</u>.



DETAILED RESULTS:

Maryland Chapter 578 (House Bill 145), Total Cadmium in Children's Jewelry

Test Method:	ASTM F963-17 Clause 8.3.1
Analytical Method:	Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1+2+3	4+5+6	7+8+9			Total
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Limit (ppm)
Total Cadmium (Cd)	ND	ND	ND			75
Conclusion	PASS	PASS	PASS			

Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

QIMA Testing (HK) Limited * 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong * Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally. Test(s) marked with '\psi' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein. If it is not further specified in the report, the decision rule for stating conformity is based on the <u>QIMA decision rule</u>.



DETAILED RESULTS:

Minnesota Chapter 347-S.F. No. 2510, Total Cadmium Screening in Children's Jewelry

Test Method:	ASTM F963-17 Clause 8.3.1
Analytical Method:	Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1+2+3	4+5+6	7+8+9			Soluble
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Limit (ppm)
Total Cadmium (Cd)	ND	ND	ND			75
Conclusion	PASS	PASS	PASS			

Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

The total cadmium screening results did not exceed the soluble cadmium limit, therefore, further soluble analyses were not conducted.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein. If it is not further specified in the report, the decision rule for stating conformity is based on the <u>QIMA decision rule</u>.



DETAILED RESULTS:

California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)

Test Method:	CPSC-CH-C1001-09.4
Analytical Method:	Gas Chromatography with Mass Spectrometry

Specimen N	lo.	1+2+3	4+5+6	7+8+9		
Test Item	CAS No.	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Limit (mg/kg)
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND		1000
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND		1000
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND	ND		1000
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND		1000
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND		1000
Di-n-hexyl phthalate (DnHP)	84-75-3	ND	ND	ND		1000
	Conclusion	PASS	PASS	PASS		

Note:

mg/kg (Milligrams per kilogram) = ppm (Parts per million) = 0.0001 % m/m (Percent by mass)

LT = Less than

ND = Not detected (Reporting Limit = 300 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

The specification is quoted from client's requirement.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein. If it is not further specified in the report, the decision rule for stating conformity is based on the <u>QIMA decision rule</u>.



DETAILED RESULTS:

16 CFR 1307 Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates (DBP, BBP, DEHP, DINP, DHEXP / DnHP, DCHP, DIBP, DPENP)

Test Method:	CPSC-CH-C1001-09.4
Analytical Method:	Gas Chromatography with Mass Spectrometry

Specimen N	0.	1+2+3	4+5+6	7+8+9		
Test Item	CAS No.	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Limit (mg/kg)
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND		1000
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND		1000
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND	ND		1000
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND		1000
Di-n-hexyl phthalate (DHEXP / DnHP)	84-75-3	ND	ND	ND		1000
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	ND		1000
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND		1000
Di-n-pentyl phthalate (DPENP)	131-18-0	ND	ND	ND		1000
	Conclusion	PASS	PASS	PASS		

Note:

mg/kg (Milligrams per kilogram) = ppm (Parts per million) = 0.0001 % m/m (Percent by mass)

LT = Less than

ND = Not detected (Reporting Limit = 300 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein. If it is not further specified in the report, the decision rule for stating conformity is based on the <u>QIMA decision rule</u>.



DETAILED RESULTS:

Washington Revised Code Section 70.240.020, Phthalates in Children's Product

Test Method:	CPSC-CH-C1001-09.4
Analytical Method:	Gas Chromatography with Mass Spectrometry

Specimen No).	1+2+3	4+5+6	7+8+9		
Test Item	CAS No.	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Limit (mg/kg)
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND		1000
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND		1000
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND	ND		1000
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	ND		1000
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND		1000
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND		1000
	Sum	ND	ND	ND		1000
	Conclusion	PASS	PASS	PASS		

Note:

mg/kg (Milligrams per kilogram) = ppm (Parts per million) = 0.0001 % m/m (Percent by mass)

LT = Less than

ND = Not detected (Reporting Limit = 300 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein. If it is not further specified in the report, the decision rule for stating conformity is based on the <u>QIMA decision rule</u>.



DETAILED RESULTS:

Canadian Toys Regulations SOR/2011-17 as Amended, Item 23 – Total Elements Screening in Paints and Surface Coatings

Test Method:	ASTM F963-17 Clause 8.3.1
Analytical Method:	Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1+2+3	4+5+6	7+8+9			Leachable
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Limit (ppm)
Total Antimony (Sb)	ND	ND	ND			1000
Total Arsenic (As)	ND	ND	ND			1000
Total Barium (Ba)	83	ND	ND			1000
Total Cadmium (Cd)	ND	ND	ND			1000
Total Lead (Pb)	ND	ND	ND			90*
Total Mercury (Hg)	ND	ND	ND			10*
Total Selenium (Se)	ND	ND	ND			1000
Conclusion	PASS	PASS	PASS			

Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit: Pb, Hg = 10 ppm; Sb, As, Ba, Cd, Se = 50 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

*Total limit

The results of total elements screening did not exceed the limits of leachable elements, therefore further analysis of leachable elements was not conducted.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein. If it is not further specified in the report, the decision rule for stating conformity is based on the <u>QIMA decision rule</u>.



DETAILED RESULTS:

Canadian Surface Coating Materials Regulations SOR/2016-193, Total Lead and Mercury in Paints and Surface Coatings

Test Method:	ASTM F963-17 Clause 8.3.1
Analytical Method:	Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1+2+3	4+5+6	7+8+9			Total
Test Item	Result	Result	Result	Result	Result	Limit
	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
Total Lead (Pb)	ND	ND	ND			90
Total Mercury (Hg)	ND	ND	ND			10
Conclusion	PASS	PASS	PASS			

Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 10 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein. If it is not further specified in the report, the decision rule for stating conformity is based on the <u>QIMA decision rule</u>.



DETAILED RESULTS:

Mexican Environmental Health NOM-252-SSA1-2011, Total Elements Screening from Toys and School Supplies

Test Method:	ASTM F963-17 Clause 8.3.1
Analytical Method:	Inductively Coupled Plasma-Optical Emission Spectrometry

Toy Material except Modelling Clay

Specimen No.	1+2+3	4+5+6	7+8+9			Soluble
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Limit (ppm)
Total Antimony (Sb)	ND	ND	ND			60
Total Arsenic (As)	ND	ND	ND			25
Total Barium (Ba)	83	ND	ND			1000
Total Cadmium (Cd)	ND	ND	ND			75
Total Chromium (Cr)	ND	ND	ND			60
Total Lead (Pb)	ND	ND	ND			90
Total Mercury (Hg)	ND	ND	ND			60
Total Selenium (Se)	ND	ND	ND			500
Conclusion	PASS	PASS	PASS			

Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit: Sb, As, Ba, Cd, Cr, Pb, Hg = 20 ppm; Se = 50 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration

Remark:

The total heavy metals screening results do not exceed the soluble heavy metal limits, therefore, further soluble analyses were not conducted.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein. If it is not further specified in the report, the decision rule for stating conformity is based on the <u>QIMA decision rule</u>.



SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location
1	Black ink	SE 300 BLACK
2	White ink	SE 310 WHITE
3	Yellow ink	SE 315 YELLOW
4	Blue ink	SE 333 BLUE
5	Green ink	SE 348 GREEN
6	Red ink	SE 352 RED
7	Magenta ink	SE 355 MAGENTA
8	Golden ink	SE 371 GOLD
9	Silvery ink	SE 377 SILVER

QIMA Testing (HK) Limited * 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong * Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally. Test(s) marked with '\psi' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein. If it is not further specified in the report, the decision rule for stating conformity is based on the <u>QIMA decision rule</u>.



Page 17 of 17

SAMPLE PHOTO:



-End Report-

QIMA Testing (HK) Limited * 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong * Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally. Test(s) marked with '\psi' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein. If it is not further specified in the report, the decision rule for stating conformity is based on the <u>QIMA decision rule</u>.



12/09/20

Innovation Line Angie Tapia Production Administrator 5306 Beethoven St., Los Angeles, CA 90066

RE: CPSIA Certification for Natron™ SE Series inks

This letter is to ascertain that the raw materials used to manufacture the Natron[™] SE Series inks are the same as the raw materials used for the ink samples presented for 2019 CPSIA report. In addition, the ink chemical composition and formulation has not changed.

Sincerely,

Name: _	Bonaventure Mutuku	Signature		Bt	
Title <u>:</u>	Operations	Date:17	2/9/	20	

-Think . Print . Tech™

165-C New Boston St. Woburn, MA 01801, USA www.bostonindustrialsolutions.com | Tel: +1 (781) 281-4116 | Fax: + 1 (781) 810-0170



July 9, 2018

To Whom It May Concern

Let this letter confirm and attest to the fact that Epson inks comply with the State of California Prop 65 requirements (including warnings) as they are not considered hazardous and/or do not contain hazardous substances in the amount listed on the Prop 65 List of Hazardous Substance in reportable quantities.

If you have any questions please do not hesitate to contact me as noted below.

Regards, Ren notes

Ron Mateas Corporate Manager, Environmental Programs ron.mateas@ea.epson.com

EPSON AMERICA, INC.

3840 Kilroy Airport Way Long Beach, California 90806-2452 TEL 562.981.3840 P.O. Box 93012 Long Beach, CA 90809-9941 www.epson.com

ATTN: MIMAKI USA. INC.

Investigation report on chemical substances in the raw materials of our products

We hereby certify the presence or absence of chemical substances in the raw materials of our products listed under 1.Products below.

Please be notified that we evaluated the raw materials of the products to determine the presence of the substances specified under 2.Object Substances below. We did not measure or analyze the final products themselves.

1. Products

UV ink LH-100 series (Cyan, Magenta, Yellow, Black, Light Cyan, Light Magenta, White, Clear)

2. Object Substances

No.	Conflict Mineral 4 substances
1	Tantal (columbite-tantalite)
2	Tin (cassiterite)
3	Gold
4	Tungsten (wolframite)

3. Report

In our evaluation, we certify that we did not find substances specified under 2.Object Substances above in the raw materials of the product listed under 1. Products above.

Company name:	MIMAKI ENGINEERING CO., LTD.
Heard office:	1628-1 Shigeno-otsu, Tomi-shi, Nagano 389-0512 JAPAN
Tel:	+81-268-64-2382
Fax:	+81-268-64-5580

mis

Oct. 06/2016 Date:

Signature: Name:

Title:

Yasunaga Kayama

General Manager of Quality Management and Support Center This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Mimaki Engineering Corporation.

and does not relate to use in combination with any other material or process. Mimaki Engineering Corporation assumes no legal responsibility for use or reliance upon this information.

It relates only to the specific material designated herein,

MIMAKI ENGINEERING CO., LTD. 2182-3 Shigeno-otsu, Torni-shi, Nagano 389-0512 JAPAN Tel:+81-268-64-2281 MIMAKI USA, INC. 150 Satellite Boulevard, suite A, Suwanee, Georgia 30024, U.S.A. Tel : +1-678-730-0100 MIMAKI EUROPE B.V. Stammerdijk 7E 1112 AA Diemen The Netherlands Tel : +31-20-4627-640 SDS URL : http://www.mimaki.co.jp/sds



Investigation report on chemical substances in the raw materials of our products 42-006161006

420D5-163

ATTN: MIMAKI USA. INC.

Investigation report on chemical substances in the raw materials of our products

We hereby certify the presence or absence of chemical substances in the raw materials of our products listed under 1.Products below.

Please be notified that we evaluated the raw materials of the products to determine the presence of the substances specified under 2.Object Substances below. We did not measure or analyze the final products themselves.

1. Products

UV ink LH-100 series (Cyan, Magenta, Yellow, Black, Light Cyan, Light Magenta, White, Clear)

2. Object Substances

· Substances are listed in "Proposition 65 (September 30, 2016)".

3. Report

In our evaluation, among all substances specified under 2.Object Substances above, only the substance listed in Table 1 is found in the product. We certify that we did not find the other substances in the raw materials of the product listed under 1.Products above.

*Note

Carbon black and titanium dioxide, which each contain a pigment in LH-100 Black and White, are considered to be not applicable to the "airborne, unbound particles of respirable size" of the conditions of the substance. Because they are present in the ink, there is no easily be floating in the air. As a result, it will be considered to be even less likely to inhale into the lungs.

Company name:MIMAKI ENGINEERING CO., LTD.Heard office:1628-1 Shigeno-otsu, Tomi-shi, Nagano 389-0512 JAPANTel:+81-268-64-2382Fax:+81-268-64-5580

J. Kazanis Yasunaga Kayama

Date: NOV, 4, 2016

Signature:

Name: Title:

General Manager of Quality Management and Support Center

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Mimaki Engineering Corporation. It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Mimaki Engineering Corporation assumes no legal responsibility for use or reliance upon this information.



MIMAKI ENGINEERING CO., LTD. 2182-3 Shigeno-otsu, Tomi-shi, Nagano 389-0512 JAPAN Tel:+81-268-64-2281 MIMAKI USA, INC. 150 Satellite Boulevard, suite A, Suwanee, Georgia 30024, U.S.A. Tel: +1-678-730-0100 MIMAKI EUROPE B.V. Stammerdijk 7E 1112 AA Diemen The Netherlands Tel: +31-20-4627-640 SDS URL : http://www.mimaki.co.jp/sds

> Investigation report on chemical substances in the raw materials of our products 42-U06161101 42OD5-179

Table 1

Product	Substance Name	Content(ppm)
LH-100 Cyan	Toluene (CAS No. 108-88-3)	<110
LH-100 Magenta	Toluene (CAS No. 108-88-3)	<100
LH-100 Yellow	Nickel compounds	<20000
	Toluene (CAS No. 108-88-3)	<110
LH-100 Black	Benzene (CAS No. 71-43-2)	<1
	Benz[a]anthracene (CAS No. 56-55-3)	<10
	Benzo[a]pyrene (CAS No. 50-32-8)	<10
	Benzo[b]fluoranthene (CAS No. 205-99-2)	<10
	Benzo[j]fluoranthene (CAS No. 205-82-3)	<10
	Benzo[k]fluoranthene (CAS No. 207-08-9)	<10
	Chrysen (CAS No. 218-01-9)	<10
	Dibenz[a,h]anthracene (CAS No. 53-70-3)	<10
	Naphthalene (CAS No. 91-20-3)	<10
	Toluene (CAS No. 108-88-3)	<110
LH-100 Light Cyan	Toluene (CAS No. 108-88-3)	<100
LH-100 Light Magenta	Toluene (CAS No. 108-88-3)	<100

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Mimaki Engineering Corporation. It relates only to the specific material designated herein,

and does not relate to use in combination with any other material or process. Mimaki Engineering Corporation assumes no legal responsibility for use or reliance upon this information.

MIMAKI ENGINEERING CO., LTD. 2182-3 Shigeno-otsu, Torni-shi, Nagano 389-0512 JAPAN Tel:+81-268-64-2281 MIMAKI USA, INC. 150 Satellite Boulevard, suite A, Suwanee, Georgia 30024, U.S.A. Tel: +1-678-730-0100 MIMAKI EUROPE B.V. Stammerdijk 7E 1112 AA Diemen The Netherlands Tel: +31-20-4627-640 SDS URL: http://www.mimaki.co.jp/sds



Investigation report on chemical substances in the raw materials of our products 42-U06161101 42QD5-179

ATTN: MIMAKI USA. INC.

Investigation report on chemical substances in the raw materials of our products

We hereby certify the presence or absence of chemical substances in the raw materials of our products listed under 1.Products below.

Please be notified that we evaluated the raw materials of the products to determine the presence of the substances specified under 2.Object Substances below. We did not measure or analyze the final products themselves.

1. Products

UV ink LH-100 series (Cyan, Magenta, Yellow, Black, Light Cyan, Light Magenta, White, Clear)

2. Object Substances

Substance name	CAS No.	
Lead (Pb)	7439-92-1	
Di (2-ethylhexyl) phthalate (DEHP)	117-81-7	
Dibutyl phthalate (DBP)	84-74-2	
Butylbenzyl phthalate (BBP)	85-68-7	
Diisononyl phthalate (DINP)	28553-12-0, 68515-48-0	
Diisodecyl phthalate (DIDP)	26761-40-0, 68515-49-1	
Di-n-octyl phthalate (DNOP)	117-84-0	

3. Report

In our evaluation, we certify that we did not find substances specified under 2.Object Substances above in the raw materials of the product listed under 1. Products above.

Company name:	MIMAKI ENGINEERING CO., LTD.
Heard office:	1628-1 Shigeno-otsu, Tomi-shi, Nagano 389-0512 JAPAN
Tel:	+81-268-64-2382
Fax:	+81-268-64-5580
2	

rem

eb. 3, 2017 Date:

Signature: Name:

Title:

Yasunaga Kayama

General Manager of Quality Management and Support Center

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Mimaki Engineering Corporation. It relates only to the specific material designated herein,

and does not relate to use in combination with any other material or process. Mimaki Engineering Corporation assumes no legal responsibility for use or reliance upon this information.



MIMAKI ENGINEERING CO., LTD. 2182-3 Shigeno-otsu, Tomi-shi, Nagano 389-0512 JAPAN Tel:+81-268-64-2281 MIMAKI USA, INC. 150 Satellite Boulevard, suite A, Suwanee, Georgia 30024, U.S.A. Tel : +1-678-730-0100 MIMAKI EUROPE B.V. Stammerdijk 7E 1112 AA Diemen The Netherlands Tel : +31-20-4627-640 SDS URL : http://www.mimaki.co.jp/sds

> Investigation report on chemical substances in the raw materials of our products 42-U06170202 42QD5-249-4