

**MATERIAL SAFETY DATA SHEET**

#1303

BZK ANTISEPTIC TOWELETTE

**Section I -- Product Identification**

Product/Trade Name: BZK Antiseptic Towelette D 35100  
Hazard Rating (NFPA): Health: 0  
Flammability: 0  
Reactivity: 0  
Specific: None  
Emergency or Information Phone No.: 914-365-1700 (M-F Daytime)  
At other times, contact the local Poison Control Center  
Chemical Name: Mixture

**Section II -- Hazardous Ingredients** Per 29 CFR 1910.1200

HAZARDOUS INGREDIENTS	CAS NUMBER	%	ACGIH-TLV
None	-----	No components over 1% of formulation	-----

**Section III -- Physical/Chemical Characteristics**

Color/Odor/Appearance: Applicator saturated with clear liquid  
Boiling Point: N/A  
Flash Point: N/A  
Vapor Density: N/A  
Evaporation Rate: N/A  
Solubility in Water: Complete  
Specific Gravity (H<sub>2</sub>O=1): 1.0

**Section IV -- Fire and Explosion Hazard Data**

Flash Point (Method Used): N/A LEL: N/A UEL: N/A  
Extinguishing Media: Any  
Special Firefighting Procedures: None  
Unusual Fire and Explosion Hazards: None

**Section V -- Reactivity Data**

Stability: Stable  
Conditions to avoid: None known  
Incompatibility: Anionic surfactants/soaps  
Hazardous Decomposition of Byproducts: None  
Polymerization: Will not occur

**Section VI -- Health Hazard Data**

Effects of Overexposure:  
Skin: None  
Eyes: May cause discomfort  
Inhalation: None  
Ingestion: None

**Emergency and First Aid Procedures:**

Skin Contact: Discontinue use if rash or irritation occurs.  
Eye Contact: Flush with cold water if splashed in eyes.  
Inhalation: None  
Ingestion: None  
Target Organs: None

**Section VII -- Spill and Disposal Procedure**

Spill Control: Rinse into sewer system.  
Waste Disposal Method: Follow local, state and federal regulations.  
Handling and Storage: None

**Section VIII -- Control Measures/Protection**

Respiration: None

Ventilation:	None
Protective Gloves:	None
Eye Protection:	If splash potential exists
Hygienic Practices:	Good housekeeping practices should be followed.
Other:	None

**Section IX -- Transport/Shipping**

DOT Shipping Name:  
Technical Shipping Name:  
DOT Shipping Classification: DOT not regulated  
DOT ID Number:  
DOT Label Requirements:  
UN/NA Number Regulations:  
Reportable Quantity:

**Disclaimer:**

The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and Dynarex Corporation assumes no legal responsibility or liability resulting from its use.



**Executive Headquarters:** 10 Glenshaw Street, Orangeburg, NY 10962  
Phone: (845) 365-8200 • Toll Free: (888) 335-7500 • (888) DYNAREX  
Fax: (845) 365-8201 • Email: sales@dynarex.com • www.dynarex.com

# MSDS for Bandages (2013)

ISSUED ON:  
1st Jun 2012

## 2、 COMPOSITON/INFORMATION ON INGREDIENTS

Single or mixture component:Mixture compinent(Component that is packaged in ; plastic core and corn,which is additionally packaged in an outer box)

Ingredients	CAS No.
Pvc or PU	9006-86-2
crylic acid glue	9009-54-5
crylic acid glue	9003-54-7
glassine paper	63148-58-3
cold seal paper	3051-11-4

## 3、 HAZARDS IDENTIFICATION

Emergency Overview:This product with no health hazards reported from normal use.The most important hazard is that prolonged cpntact with the skin at the same site may cause a cryogenic burn.

Route of entry:Inhalation,skin contact,eye contact,ingestion.

Eye:Dust may cause irritation or corneal injury due to mechanical action.Fumes released during hot opration may cause eye irritation.Exposure to gas of outer bags causes eye to be inflamed with trear production and itch.

Skin:May cause skin irritation for certain perple.

Ingestion:May be harmful if swallowed.

Inhalation:Fumes generated under heat may cause irritation to upper respiratory tract and lungs.

At 165°C or higher ,outer box produces gas which may irritation eyes,nose,and throat.

Note:Read the entireMSDS for a more thorough evaluation if the hazards.

## 4、 FIRST AID MEASURES

Mixture components in a bag:

Eye contact:Never rub eyes.Flush eyes with plenty of clean water.Seek medical

## MSDS for Bandages (2013)

attention if you feel unwell.

Skin contact :wash skin with plenty of soap and water or warm water.

Ingestion:Rinse the mouth and spit it out.Seek medical attention if you feel unwell.

Outer box:

Eye contact:There is a risk of eyeball to scratched.Flush eyes with plenty of clean water.Get medical attention if you feel unwell.

Skin contact:If irritated,wash skin with plenty of soap and water or warm water.If molten material gets on skin,flush a plenty of water and cool the affected area down.Never peel it off.Get medical attention.

Inhalation:No evaporation occurs under normal conditions.When experienced over exposure to gas which is produced from hot molten resin,remove to fresh air.At 165°C or higher,outer bag products gas which may irritate eyes,nose,and throat.

Ingestion:Spit it out immediately.If ingested,seek medical attention.

### **5、 FIRE FIGHTING MEASURES**

Extinguishing Media:

Use dry chemical,water fog,foam and carbon dioxide.

Fire Fighting Procedures:

In the event of a fire,wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full-face piece operated in the pressure demand

or other positive pressure mode.Fight fire from the maximum distance.Evacuate area.Extinguish a fire from windward.Prevent inhalation if gas produced.

Specific Hazards:

When involved in a fire,this material may decompose and produce irritating fumes and gas.

### **6、 ACCIDENTAL RELEASE MEASURES**

Personal precautions:

Wear appropriate personal protective equipment as specified in Section 8.Avoid direct contact with skin.

Environmental Precautions:

This material may be non-hazardous in ordinary use and may be discarded in accordance with applicable governmental regulations and take order with the demands of the environmental protection section.

Methods of Clean up:

## MSDS for Bandages (2013)

Sweep and scoop all spilled material. Place them into a water-filled container. Dispose in accordance with applicable state and federal regulations/

### 7、 HANDLEING AND STORAGE

Handling Precautions "

Do not use this product and place near flame and under high temperature. Never put the mixture powder out inner bag.

Storage Precautions:

Keep product in a cool place away from exposure to sunlight. Do not store product any place where becomes high temperature. Do not damage to outer Bag.

### 8、 EXPSURE CONTROLS/PERSONAL PROTECTION

Enginnering measure

Use exhaust ventilation to keep airborne concentration below exposure limit.

Personal protection quipment:

Respiration protection: If TLV or product or any component is exceeded, a NIOSH approved air supply respirator is advised in absence of proper environmental control.

Eye protection: Not required under normal use.

Hand protection: Not required under normal use.

Skin and Body Protection: Not required under normal use.

Recommended decontamination facilities: Eye bath, safety shower, washing Facilities.

### 9、 PHYSICAL AND CHEMICAL PROPERIES

Mixture component:

Physical state

Form: Solid powder

Color: White

Odor: Odorless

Flash point: No ignition at 140°C

Auto-ignition: Not applicable to Auto-ignition substance stated in UN recommendations.

Self-heating: Not applicable to Auto-ignition substance stated in UN recommendations.

## MSDS for Bandages (2013)

Water solubility: Insoluble, except for sodium chloride

Outer box:

Appearance: colored sheet

Melting point: Polyethylene : 115 °C or higher Polypropylene: 125 °C or higher

Specific gravity: Polyethylene: 0.91 to 0.94 Polypropylene: 0.89

Water solubility: Insoluble

### 10、 STABILITY AND REACTIVITY

Mixture components

Stability: Stable under ambient conditions

Reactivity: Capable of spontaneous heating, materials reacting with oxygen

Concentration:

Hazardous decomposition products: None

Outer box:

Inflammation point: 340 to 400 °C

Flash point: 400 to 500 °C

Water reactivity: None

Oxidization: None

Self-reactivity/Explosive: None

Stability/Reactivity: Stable and non-reactive under ambient storage and handling conditions.

### 11、 TOXICOLOGICAL INFORMATION

Mixture component:

Acute toxicity: None known about oral/dermal toxicity

Outer box :

Irritation: Vapor and gas produced during heat melting cause irritation to eye and respirator

Sensitization: None

### 12、 ECOLOGICAL INFORMATION

Environmental Toxicity:

On the basis of available information, this product is not expected to produce any significant adverse environmental effects when recommended use instructions are followed.

Mixture components:

## MSDS for Bandages (2013)

Mobility:None know

Persisistence/degradability:None know

Bioaccumulative potential:None know

Outer box :

Degradability:Non-degradable for long time

### **13、 DISPOSAL CONSIDERATIONS**

Waste disposal Methods:

Used or unused product should be disposed of in accordance with Federal,State or Local Laws and Regulations.

Empty Container Warnings:

Empty containers may contain product residue, follow SDS and label warnings even after they have been emptied.

### **14、 TRANSPORT INFORMATION**

US Department of Transportation Classification:

The product is not a DOT controlled material(United States).

International Air Transportation Association Classification:

This product is not classified as a hazardous material for transport under IATA regulations.

International Maritime Organization-IMDG:

This product is not classified as a hazardous material for transport under MIDG regulations.

UN,IMO,ADR/RID,ICAD Code:

This product is not classified as a hazardous material for conveyance under these codes.

Specific precautionary transport measures:Avoid wetting and violent handling.

Ensure to avoid falling,drop,and damage and prevent load collapse during Transport.

### **15、 REGULATORY INFORMATION**

EC Label:N/A

Contains:N/A

Other regulation:N/A

For details regulations you should contact the appropriate agency in your Country.

## 16、 OTHER INFORMATION

This data is offered in good faith as typical values and not as a product specification. The information in this data sheet was compiled from information supplied by the vendors of the components of this compound. No warranty, either expressed or implied is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.

### NOTE

This Material Safety Data Sheet (MSDS) is for guidance and is based upon information and tests believed to be reliable. RJS Standard Testing & Certification Center makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. RJS Standard Testing & Certification Center assumes no legal responsibility for use or reliance upon this data.



# MSDS Material Safety Data Sheet

**Blistex Inc.**



## Blistex Lip Ointment

Page 1 of 3

MSDS Number: 064-9951

Revision Date: 01/27/05

1

### PRODUCT AND COMPANY IDENTIFICATION

#### Manufacturer

Blistex Inc.  
1800 Swift Drive

Oak Brook, IL 60523

**Contact:** Director of Quality Systems

**Telephone Number:** (630) 571-2870

**FAX Number:**

**E-Mail:**

**Web**

**Product Name:** Blistex Lip Ointment

**Revision Date:** 01/27/05

**MSDS Number:** 064-9951

2

### COMPOSITION/INFORMATION ON INGREDIENTS

3

### HAZARDS IDENTIFICATION

**Route of Entry:** Inhalation, Skin, Ingestion, Mucous


**Target Organs:** N/A

**Inhalation:** Inhalation of vapors not expected to cause any significant adverse effects.

**Skin Contact:** None Expected

**Eye Contact:** May cause Irritation.

**Ingestion:** Ingestion of small quantities is not expected to cause any significant adverse effects.



# MSDS Material Safety Data Sheet

**Blistex Inc.**



## Blistex Lip Ointment

Page 2 of 3

MSDS Number: 064-9951

Revision Date: 01/27/05

### 4 FIRST AID MEASURES

**Inhalation:** Move person to fresh air.

**Skin Contact:** Wash with luke warm water and mild soap.

If irritation or rash develops, stop use. If condition does not improve in several days, seek medical assistance.

**Eye Contact:** Flush with luke warm water for 15 minutes.

**Ingestion:** Drink large amounts of water or milk

### 5 FIRE FIGHTING MEASURES

**Flash Point:** 545 F

**Flash Point Method:** Open Cup

**Burning Rate:** Unknown

**Autoignition Temperature:** Unknown

**LEL:** Unknown

**UEL:** Unknown

CO2, Dry Chemical, Foam

### 6 ACCIDENTAL RELEASE MEASURES

Sweep and collect with inert absorbent material. Place in drums for disposal. Dispose of according to local, state and federal regulations.

### 7 HANDLING AND STORAGE

**Handling Precautions:** Keep in closed containers when in bulk form.

**Storage Requirements:** Store at room temperature. Avoid intense heat or freezing. Keep away from direct sunlight.

### 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:**

**Protective Equipment:** Use NIOSH approved gloves and goggles when handling in raw, bulk form.

### 9 PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** White/Yellow Cast

**Physical State:** Creamy

**Odor:** Minty, Slight Ammonia

**pH:** 7.5 - 8.5

**Vapor Pressure:** N/A

**Vapor Density:** N/A

**Boiling Point:** N/A

**Freezing/Melting Pt.:** N/A

**Solubility:** Insoluble in water

**Spec Grav./Density:** 0.89 - 0.93

# MSDS Material Safety Data Sheet

**Blistex Inc.**



## Blistex Lip Ointment

Page 3 of 3

MSDS Number: 064-9951

Revision Date: 01/27/05

### 10 STABILITY AND REACTIVITY

**Stability:** Stable at room temperature

**Conditions to avoid:** Direct sunlight - Intense heat - Freezing

**Materials to avoid (incompatibility):** Oxidizing agents

**Hazardous Decomposition products:** None

**Hazardous Polymerization:** None

### 11 TOXICOLOGICAL INFORMATION

Unknown

### 12 ECOLOGICAL INFORMATION

Unknown

### 13 DISPOSAL CONSIDERATIONS

Follow local, state and federal regulations.

### 14 TRANSPORT INFORMATION

### 15 REGULATORY INFORMATION

Active ingredients approved by FDA as safe and effective.

### 16 OTHER INFORMATION

END OF MSDS DOCUMENT

# Material Safety Data Sheet



<b>HEALTH</b>	<b>1</b>	<b>REACTIVITY</b>	<b>0</b>
<b>FLAMMABILITY</b>	<b>1</b>	<b>PERSONAL PROTECTION</b>	<b>A</b>

## SECTION I - Product and Company Identification

**Identity (As Used on Label and List)** EPA Reg. No. N/A  
**Sun X SPF 30 Sunscreen Broad Spectrum Bulk**

**Distributed By: CoreTex Products, Inc.**

**Emergency Telephone Number:**  
**877-684-5774**

**Address (Number, Street, City, State, and ZIP Code)**  
**1850 Sunnyside Ct., Bakersfield, CA. 93308**

**Telephone Number for Information:**  
**877-684-5774**

**Formula No.: Cor05**

**Generated:** 08/02/12, **Revision:** A1, **Supersedes Revision** Original, **Date Created** 02/27/12

## SECTION II - Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity, Common Name(s))	CAS No.	OSHA PEL	ACGIH-TLV	Other Limits Recommended	% (Opt.)
N/A	N/A	N/A	N/A	N/A	N/A

TSCA: All ingredients are on the TSCA inventory or are not required to be listed on the TSCA inventory.

Any substance listed as hazardous by the States of California, Florida, Illinois, Michigan, New Jersey, Ohio, Pennsylvania or Texas is described above if known present in regulated concentrations.

## SECTION III - Physical/Chemical Characteristics

<b>Boiling Point</b>	N/A	<b>Specific Gravity (H<sub>2</sub>O = 1) @ 25°C</b>	0.984-1.056
<b>Vapor Pressure (mm-Hg @ 70° F)</b>	N/A	<b>Melting Point</b>	N/A
<b>Vapor Density (AIR = 1)</b>	N/A	<b>Evaporation Rate (Butyl Acetate = 1)</b>	N/A
<b>Solubility in Water</b>	In-Soluble	<b>pH @ 25°C</b>	6.50 – 7.50

**Appearance and Odor –**  
**Glossy Lotion, Off-White to Light Yellow. Characteristic odor.**

## SECTION IV - Fire and Explosion Hazard

<b>Flash Point (Method Used)</b> Not Applicable	<b>Flammable Limits</b> No Data	<b>LEL</b> No Data	<b>UEL</b> No Data
--	------------------------------------	-----------------------	-----------------------

**Extinguishing Media -**

Will not support combustion. All recognized methods acceptable.

**Special Fire Fighting Procedures -** Keep containers cool and vapors down with water spray. Prevent runoff from entering sewers and public waterways. Wear SCBA in chemical fires.

# Material Safety Data Sheet

## Unusual Fire and Explosion Hazards -

Will not support combustion.

## SECTION V – Stability and Reactivity

<b>Stability</b>	<b>Unstable</b>		<b>Conditions to Avoid</b> - Heat, sparks, open flames
	<b>Stable</b>	<b>X</b>	
<b>Incompatibility (Materials to Avoid) -</b> None known			
<b>Hazardous Decomposition or Byproducts -</b> None known			
<b>Hazardous Polymerization</b>	<b>May Occur</b>		<b>Conditions to Avoid</b> - None known
	<b>Will Not Occur</b>	<b>X</b>	

## SECTION VI - Health Hazard

<b>Route(s) of Entry</b>	<b>Eyes?</b> No	<b>Inhalation?</b> No	<b>Skin?</b> No	<b>Ingestion?</b> Yes
<b>Health Hazards (Acute and Chronic) -</b> <b>Caution:</b> Not generally considered an occupational hazard				
<b>Signs and Symptoms of Exposure -</b> Not determined				
<b>Medical Conditions Generally Aggravated by Exposure -</b> Not determined				

## SECTION VII – First Aid Measures

### Emergency and First Aid Procedures:

**Eyes** – Customary use. If irritation develops, call a physician. **Skin** - Rinse skin with plenty of water. If irritation develops, call a physician. **Inhalation** – Move person to fresh air. If breathing has stopped, qualified personnel should administer artificial respiration. **Ingestion** – Do not induce vomiting. Never give anything by mouth to an unconscious person. Rinse out mouth and have patient drink several glasses of water. Call a physician.

## SECTION VIII - Precautions for Safe Handling and Use

### Steps to be Taken in Case Material is Released or Spilled -

Caution, slip hazard. Wipe up small spills with an absorbent material. For large spills, pick up with a vacuum or an absorbent material. Place waste in appropriate container for disposal.

**Waste Disposal Method** - Consult local, state, and federal regulations. Do not reuse empty container.

**Precautions to be Taken in Handling and Storing** – Avoid skin and excessive eye contact. Should such contact occur, wash exposed area promptly. Store in a cool (under 120° F) dry location away from heat, sparks and open flame. Do not use around ignition sources such as heat, sparks, flame, etc. Do not smoke while using. Use with adequate ventilation.

**Other Precautions** - Follow label directions carefully. Keep out of reach of children. Keep container tightly sealed when not in use. Do not contaminate water, food or feed by use or storage. Do not swallow. Avoid inhaling mist and vapors.

## SECTION IX - Control Measures

**Respiratory Protection (Specify Type)** - Not usually necessary. Use with adequate ventilation. Use NIOSH/MSHA approved respirator if PELs or TLVs are exceeded.

<b>Ventilation</b>	<b>Local Exhaust</b>	Not usually needed	<b>Special</b>	None
	<b>Mechanical (General)</b>	Yes	<b>Other</b>	None

# Material Safety Data Sheet

## Protective Gloves -

Rubber or Neoprene

## Eye Protection -

Wear safety glasses for splash protection.

## Other Protective Clothing or Equipment -

Not usually necessary. Avoid direct contact.

## Work/Hygienic Practices -

Normal. Wash hands after use and before eating, drinking, smoking, using restrooms, etc.

## SECTION X – Toxicology Information

No Data Available.

### Carcinogenicity:

No Data Available.

### NTP?

No

### IARC Monographs?

No

### OSHA Regulated?

No

## SECTION XI – Ecological Information

No Data Available.

## SECTION XII – Disposal Condition

Dispose of in-accordance with local, State and Federal regulations.

## SECTION XIII – Transport Information

### Land Transport (US DOT)

This material is not subject to the transportation regulations of DOT, ICAO, IMO, and the ADR.

## SECTION XIV – Regulatory Information

No Data Available.


## SECTION XV – Other Information

Do not use if tamper resistant seal has been open

## Company Policy or Disclaimer

The information and data are offered in good faith as typical values and not as a product specification. We extend No warranty, either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. All materials may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

NO INFORMATION BEYOND THIS POINT



# Material Safety Data Sheet

Royal Paper Products, Inc  
PO Box 151  
Coatesville, Pa 19320

Health	0
Env	0
Reactivity	0
Personal Protection	

## Section I: Product Information

### TRADE NAME :

Lemon Scent Moist Towellette

### FOR INFORMATION OR IN AN EMERGENCY CALL:

610-384-3400

## Section II: Active Ingredients/Identity Information

Active Ingredient: None

CAS Number: NA

## Section III: Physical/Chemical Characteristics

Boiling Point: N/A

Specific Gravity (H2O = 1): N/A

Melting point: N/A

Melting Point: N/A

Vapor Density (AIR = 1): N/A

Evaporation Rate (Butyl Acetate = 1): N/A

Solubility in Water: Soluble

Appearance and Odor: Colorless to light yellow in aqueous solution with lemon scent

## Section IV: Fire and Explosion Hazard Data

Flash Point: >200 deg. F.

Flammable Limits: 0  
0 = Minimal

Health: 0  
0 = Minimal

Reactivity: 0  
0 = Minimal

Extinguishing Media: Water spray/all-purpose dry chemical

## Section V: Reactivity Data

Stability: Stable

Conditions to Avoid: None known

Incompatibility: None

Hazardous Decomposition or Byproducts: None

Hazardous Polymerization: Will not occur

Conditions to Avoid: None known

## Section VI—Health Hazard Data

### Health Hazards:

**Skin:** Discontinue use if rash or irritation occurs.

**Eyes:** Direct ocular exposure may cause eye irritation, but no permanent eye injury is expected.

**Inhalation:** None

**Swallowing:** None

### Emergency and First Aid Procedures:

**Skin Contact:** Wash exposed area with soap and cold water. Discontinue use. If irritation persists, obtain medical advice.

**Eye Contact:** Remove contact lenses. Flush eye area for 15 minutes with large concentrations of water. If irritation persists, obtain medical advice.

**Inhalation:** N/A

**Swallowing:** N/A

## Section VII—Precautions for Safe Handling and Use

### Steps to Be Taken in Case Material Is Released or Spilled:

Flush with water.

### Waste Disposal Method:

Any disposal practice must be in compliance with local, state and federal laws and regulations (contact local or state environmental agency for specific rules).

### Handling and Storing:

Store in a cool, dry place.

## Section VIII—Control Measures

**Respiratory Protection:** N/A

**Protective Gloves:** N/A

**Eye Protection:** Safety glasses recommended

## Section VIII—Transportation/ Shipping

This product is not regulated as a DOT hazardous material.

## Section IX—Disclaimer

THE INFORMATION IN THIS MSDS WAS OBTAINED FROM CURRENT AND REPUTABLE SOURCES. HOWEVER, THE DATA IS PROVIDED WITHOUT ANY WARRANTY, EXPRESS, OR IMPLIED, REGARDING ITS CORRECTNESS OR ACCURACY. IT IS THE USER'S RESPONSIBILITY TO DETERMINE SAFE CONDITION FOR USE OF THIS PRODUCT AND TO ASSUME LIABILITY FOR LOSS, INJURY, DAMAGE, OR EXPENSE RESULTING FROM IMPROPER USE OF THIS PRODUCT.